GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PUBLIC SERVICES–Water Resources Department–Vigilance & Enforcement report on the allegations of irregularities in execution of silt removal works in Kovvada Kalva of West Godavari District– Disciplinary proceedings initiated against Sri K.Venkateswarlu, Executive Engineer(Retd) along with other officers – Finalization of disciplinary proceedings – Further action dropped–Orders – Issued.

WATER RESOURCES (VIG.II (V&E.2)) DEPARTMENT

G.O.RT.No. 346 Dated: 11-07-2019

Read the following:-

1 From the General Administration(Vig.Enft.)Dept., Vigilance Report No.46(658/V&E/E1/2010),dt.20.04.2013
2 G.O.Rt.No.814, I&CAD(Ser.VII(V&E.2)Department, dated 14.08.2013.
3 From Sri K.Venkateswarlu, Executive Engineer, written statement of defence dated. 05.02.2014.
4 G.O.Rt.No.340, W.R.(Vig.II)Dept., Dated.12.05.2016.
5 From the CE, GDS, Dowlaiswaram Letter No. CE/GDS/ DWM /Inquiry/88 Govt., dated:18.08.2016.
6 Govt. Memo No.11303/Vig.II (V&E.2)/2013-5, Dated. 31.05.2017
7 From Sri K.Venkateswarlu, Executive Engineer(Retd), Explanations, dated:07.07.2017.

<< >>

O R D E R:-

In the reference 1st read above, the General Administration (V&E) Department have furnished their Vigilance Report on the allegations of irregularities in execution of silt removal works in Kovvada Kalva of West Godavari District.

2. In the reference 2nd read above, articles of charges were issued to Sri K.Venkateswarlu, Executive Engineer(Retd) and in the references 3rd read above, he has submitted his written statements of defence.

3. In the reference 4th read above, the Chief Engineer, Godavari Delta System, Dowlaiswaram has been appointed as the Inquiring Authority to inquire into the charges framed against Sri K.Venkateswarlu, Executive Engineer(Retd) along with other officers and furnish inquiry report and Superintending Engineer, Irrigation Circle, Dowlaisaram has been appointed as Presenting Officer.

4. In the reference 5th read above, the Chief Engineer, Godavari Delta System, Dowlaiswaram and the Inquiring Authority has submitted the inquiry report reporting that the charges framed against Sri K.Venkateswarlu, Executive Engineer(Retd) are held not proved. (p.t.o.)

5. In the reference 6th read above, while enclosing the Inquiry Report, Sri K.Venkateswarlu, Executive Engineer(Retd) has been directed to submit his explanations, if any, on the disagreement factors on the findings of the Inquiring Authority.

6. In the reference 7th read above Sri K.Venkateswarlu, Executive Engineer(Retd) has submitted his written explanations, wherein he has requested to re-examine the case sympathetically and to drop the charges against him.

7. After careful examination of the entire matter, Government hereby decide and accordingly drop further action against Sri K.Venkateswarlu, Executive Engineer(Retd) for the allegations of irregularities in execution of silt removal works in Kovvada Kalva of West Godavari District.

8. The Engineer-in-Chief (AW), Water Resources Department, Vijayawada / Water Resources (Ser.II) Department are requested to take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ADITYANATH DAS
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri K.Venkateswarlu, Executive Engineer(Retd) through the Engineer-in-Chief (AW), Water Resources Department, A.P. Vijayawada.
The Engineer-in-Chief (AW), Water Resources Department, AP, Vijayawada.
Copy to:-
The Secretary, AP Vigilance Commissioner, AP Secretariat, Velagapudi, Amaravati.
The Director General and Ex-Officio Principal Secretary to Government, the General Administration (Vigilance & Enforcement) Department, 2nd Floor, Dr.NTR Administrative Block, P.N.Bus Station, Vijayawada-520002, Krishna District.
The Water Resources (Ser.II) Department.
SF / SC.

//FORWARDED:: BY ORDER//

SECTION OFFICER